

Florida High Wind Roof Tile Self-Adhered Underlayment Requirements as of 2/14/2011
This technical brief serves as an addendum to the current FRSA/TRI Concrete and Clay Tile Installation Manual, 4th Edition

The FRSA/TRI relied solely on information provided by each manufacturer and has not performed any testing to substantiate this list or findings therein. Please refer directly to manufacturer's product approval, specifications, testing, and any other information. The implementation of the FRSA/TRI 5th Edition Installation Manual has been delayed in an effort to properly coincide with the 2013 Florida Building Code (FBC). The FRSA and TRI have been working together on the revised manual to help improve the performance of tile roofs and simplifying the structure of the manual. The primary product related change is a recommendation that all self-adhered cap sheet products meet specific test standards established by the committee. Manufacturers that complied provided written verification that their products would meet or exceed the new FRSA/TRI roof tile manual and criteria for inclusion on the following list of "approved underlayments." *This is not an endorsement by the FRSA and TRI for any specific underlayment, but is compiled upon the technical information provided by the manufacturers. The FRSA/TRI is not liable for the accuracy of the list. For complete information, please contact the actual underlayment manufacturer directly.*

Effective February 14, 2011, the following list of self adhered underlayment products are recommended for use under concrete and clay tile roofs:

Underlayment Manufacturer and Products	Application Methods			Sealed Attic Warranty Exclusions	Decking Exclusions
	Mortar	Mechanical	Adhesive		
Atlas "Polyseal"	No	Yes	Yes	Yes	Yes
Atlas "Weathermaster TU"	No	Yes	Yes	Yes	Yes
CertainTeed Flintlastic SA Cap (& FR)	No	Yes	Yes	No	No
GAF "Under Roof 2"	No	Yes	Yes	No	No
Interwrap Two-Ply (PSU30/UDL30)	No	Yes	Yes	Yes	Yes*
MFM Building Products "STS"	No	Yes	Yes	Yes	Yes
Mid States Asphalt "Quik Stick HT"	Yes	Yes	Yes	Yes	Yes
Boral MonierLifetile "Tile Seal HT"	No	Yes	Yes	Yes	Yes
O.C. "Weatherlock Specialty T & M"	Yes	Yes	Yes	Yes	Yes
Polyglass "TU", "TU P" and "TU Plus"	No	Yes	Yes	Yes *see bulletin	Yes
Polyglass Elastoflex S6G & S6G FR	No	Yes	No	Yes*see bulletin	Yes
Polyglass Polyflex G & G FR	No	Yes	Yes	Yes*see bulletin	Yes
Polyglass "Tile Pro"	No	Yes	No	Yes*see bulletin	Yes
Polyglass "Dual Pro"	No	Yes	No	Yes*see bulletin	Yes
Polyglass "SA P" & "SA P FR"	No	Yes	Yes	Yes*see bulletin	Yes
Polyglass "MTS"	No	Yes	No	Yes*see bulletin	Yes
Protecto Wrap "Rain Proof 40 & 60"	No	Yes	Yes	No	No
Protecto Wrap "Rain Proof Plus"	No	Yes	Yes	No	No
Tarco "Fast 90"	Yes	Yes	Yes		Yes *see list
Tarco "PS 200"	Yes	Yes	Yes	Yes * case by case	Yes * see list

DISCLAIMER NOTICE

FRSA and TRI make no warranties, guarantees or representations as to the accuracy, reliability, completeness, or suitability of the information contained in this technical brief and is not liable for any errors, omissions or for the results obtained from the use of the information provided herein. Distribution of the information contained in the technical brief does not constitute and cannot be construed as a warranty, express or implied. FRSA and TRI do not endorse any of the products, vendors, manufacturers, or supporting documentation referenced herein. Any mention of products, vendors, manufacturers or technical specifications is for informational purposes only. FRSA and TRI encourage users to independently verify the information contained herein with the manufacturer prior to usage.

FRSA and TRI specifically disclaim any and all liability for damages, whether actual or consequential or claims that may arise out of or relate to the information contained herein. This disclaimer hereby incorporates all disclaimers contained in the FRSA/TRI Concrete and Clay Tile Installation Manual, 4th Edition. This list is subject to change as new products are submitted to the joint committee. Please contact the FRSA, TRI or your local distributor for the most current information. **Revised 9/1/11**